



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Notified Body 1020

CERTIFICATE OF CONSTANCY OF PERFORMANCE

No. 1020 – CPR – 010030438

In compliance with Regulation (EU) No 305/2011 of the European Parliament and of the Council of 9 March 2011 (the Construction Products Regulation or CPR), this certificate applies to the construction product:

Thermal insulation products for buildings - Factory made mineral wool (MW) products

Type: Annex No. 1

placed on the market under the name or trade mark of

İZOCAM TİC. SAN. ve A.Ş.

Altayçeşme Mahallesi, Çamlı Sokak, No:21, Kat:4-5, 34843, Maltepe/İstanbul, Türkiye

and produced in the manufacturing plant:

**Dilovası OSB., 1. Kisim No:8, Dicle Cd, Dilovasi, 41455, KOCAELI,
Turkey**

This certificate attests that all provisions concerning the assessment and verification of constancy of performance described in Annex ZA of the standard

EN 13162:2012+A1:2015

under system 1 for the performance set out in this certificate are applied and that the factory production control conducted by the manufacturer is assessed to ensure the

constancy of performance of the construction product.

This certificate was first issued on 21.9.2012 under CPD and will remain valid as long as neither the harmonised standard, the construction product, the AVCP methods nor the manufacturing conditions in the plant are modified significantly, unless suspended or withdrawn by the notified product certification body.

The stamp of the Notified Body 1020
Prague, 31st December, 2020




Ing. Iveta Jiroučová
Deputy manager of the Notified Body



TECHNICKÝ A ZKUŠEBNÍ ÚSTAV STAVEBNÍ PRAHA, s.p.
Technical and Test Institute for Construction Prague, SOE

Akreditované zkušební laboratoře, Autorizovaná osoba, Notifikovaná osoba, Oznámený subjekt, Subjekt pro technické posuzování, Certifikační orgány, Inspekční orgán / Accredited Testing Laboratories, Authorized Body, Notified Body, Technical Assessment Body, Certification Bodies, Inspection Body • Prosecká 811/76a, Prosek, 190 00 Praha 9, Czech Republic

Annex No. 1
Certificate no. 1020-CPR-010030438

Thermal insulation products for buildings – Factory made mineral wool (MW) products
EN 13162:2012+A1:2015:

Product name	Density	Thickness	Reaction to fire
	[kg/m ³]	[mm]	[class]
Unfaced Stonewool Boards	30-200	25-200	A1
Stonewool Boards - 1 side Black Glass Tissue Faced	30-100	25-150	
Stonewool Boards - 1 side Non Combustible Alufoil Faced	30-200	25-200	

The stamp of the Notified Body 1020
Prague, 31st December, 2020




Ing. Iveta Jiroutová
Deputy manager of the Notified Body