



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 1/8

## I007 - IZOCAM STONE WOOL

### Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

#### SECTION 1. Identification of the substance/mixture and of the company/undertaking

##### 1.1. Product identifier

Code: **I006**  
Product name: **İzocam Stone wool Blankets, Boards and Prefabricated Pipes.**  
Facing and adhesive : None or yellow or black glass tissue, woven glass fiber.

##### 1.2. Relevant identified uses of the substance or mixture and uses advised against

Identified Uses	Industrial	Professional	Consumer
Insulation / building material.	✓	✓	✓

##### Uses Advised Against

No data available.

##### 1.3. Details of the supplier of the safety data sheet

Name: **İZOCAM TİC. ve SAN. A.Ş.**  
Full address: **Altayçeşme Mahallesi Çamlı Sok.  
Esas Ofispark No:21 Kat:4-5**  
District and Country: **Maltepe / İstanbul (Turkey)**

Tel : **+90 216 440 40 50**

Fax **+90 216 706 12 84**

e-mail address of the competent person  
responsible for the Safety Data Sheet

**No data available.**

##### 1.4. Emergency telephone number

For urgent inquiries refer to  
**+ 90 216 4404050/540 (Export Manager)**  
**+ 90 262 4404050/660 (Engineering Manager)**

#### SECTION 2. Hazards identification

##### 2.1. Classification of the substance or mixture

The product is not classified as hazardous pursuant to the provisions set forth in EC Regulation 1272/2008 (CLP) (and subsequent amendments and supplements).

Hazard classification and indication:

##### 2.2. Label elements

Hazard pictograms: --

Signal words: --

Hazard statements: --

Precautionary statements: --

##### 2.3. Other hazards

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

WHO (World Health Organization):

The International Agency for Research on Cancer (IARC) which is a working group of WHO has evaluated the risk of airborne man made fibers and concluded that the more commonly used vitreous fiber wools including insulation glass wool, stone wool and slag wool are not classifiable as to carcinogenicity to humans (Group 3). Therefore all mineral wools, including non-bio soluble types as well, are in the third group of classification namely, Inadequate Data Group which also includes tea, fluorescent light and caffeine.

EC (European Community)

Fibers contained in this product have a low fiber biopersistence. (Weighted clearance half life of fibers, with lengths greater than 20 µm, after inhalation, less than 10 days or after intratracheal instillation, less than 40 days). So, classification as a carcinogen need not apply in accordance with the Regulation (EC) No 1272/2008 and the note Q. Having EUCEB trademark, Izocam glass wool products are not classified as carcinogenic.

Fire and Explosion Hazards : Resin, paper or plastic facings will burn causing smoke.



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 2/8

## I007 - IZOCAM STONE WOOL

# Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

Specific Hazards : Not relevant

### SECTION 3. Composition/information on ingredients

#### 3.1. Substances

Information not relevant

#### 3.2. Mixtures

Contains:

Identification	x = Conc. %	Classification 1272/2008 (CLP)
Stone wool		
CAS ---	$95 \leq x < 100$	---
EC 926-099-9		
INDEX -		

Terpolymer Phenol-Urea-Formaldehyde Polycondensed 0- 5 (depends on product)  
Mineral oil 0,5 max.

The full wording of hazard (H) phrases is given in section 16 of the sheet.

Note Q: The classification as a carcinogen need not apply if it can be shown that the substance fulfils one of the following conditions:

- a short term biopersistence test by inhalation has shown that the fibres longer than 20  $\mu\text{m}$  have a weighted half-life less than 10 days; or
- a short term biopersistence test by intratracheal instillation has shown that the fibres longer than 20  $\mu\text{m}$  have a weighted half-life less than 40 days; or
- an appropriate intra-peritoneal test has shown no evidence of excess carcinogenicity; or
- absence of relevant pathogenicity or neoplastic changes in a suitable long term inhalation test.

### SECTION 4. First aid measures

#### 4.1. Description of first aid measures

General Information: Consult a doctor/nearest medical service during any emergency situation.

Inhalation: If inhaled, remove to fresh air. Be sure that the respiratory tract is opened. Consult a physician if the symptoms persist.

Ingestion: Not applicable. However, if swallowed in small quantities, rinse mouth with water. If vomiting occurs, keep head below hips to prevent going to the lung. Never give anything by mouth to an unconscious person. Consult a physician if the symptoms persist.

Skin Contact: It is recommended to clean the skin after contact with the product. Rinse your skin with water / shower. If irritation develops, get medical attention.

Eye Contact: In case of contact with the eye, Do not rub. Rinse immediately with plenty of water at least 15 minutes. Remove contact lenses if it is available and easy to do. If any effects occur, consult a doctor or a medical service.

#### 4.2. Most important symptoms and effects, both acute and delayed

Inhalation: May cause irritant effects to the respiratory tract.

Ingestion: If swallowed, may cause discomfort.

Contact with skin: Long-term contact may irritate the skin.

Contact with eyes: Redness of the eye tissue. Slight irritation.

#### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

### SECTION 5. Firefighting measures

#### 5.1. Extinguishing media

Suitable extinguishing media: Use extinguishing measures that are appropriate to local circumstances and the surrounding environment. Water, water spray, foam, CO<sub>2</sub>.

Unsuitable extinguishing media: Do not use water jet.

#### 5.2. Special hazards arising from the substance or mixture

Hazardous gases/vapors produced in fire or at high temperatures. Carbon Dioxide (CO<sub>2</sub>) and Carbon Monoxide (CO).



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 3/8

## I007 - IZOCAM STONE WOOL

# Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

### 5.3. Advice for firefighters

Fire vapors / gases may contain toxic and harmful substances therefore avoid breathing these substances. Take the wind out while extinguishing. Move employees and other persons away from the fire area and into a safe area. Use fire-protective equipment in accordance with EN469. Wear self-contained breathing apparatus and full protective clothing.

## SECTION 6. Accidental release measures

### 6.1. Personal precautions, protective equipment and emergency procedures

For personal protective equipment see chapter 8 of this Safety Data Sheet. Avoid contact with the eyes. Do not breathe dust. Prevent dust cloud formation. Do not touch the product until all safety precautions have been thoroughly read and understood. Provide adequate ventilation. Keep away from all ignition sources and flames.

### 6.2. Environmental precautions

Avoid discharge to aquatic life. Stop leaks if possible. Prevent uncontrolled discharges into the environment (rivers, water courses, sewers etc.). Inform the competent authorities in case of contamination with water or sewerage and inform authorities concerned.

### 6.3. Methods and material for containment and cleaning up

Dispose of contents / container in accordance with national regulations. Pick up and discard large pieces. Vacuum clean dust. Use a dust suppressant if sweeping is necessary. Dispose the product in an authorized waste disposal site.

### 6.4. Reference to other sections

See section 8 for personal protection.

See section 12 on Ecological information.

See section 13 on Disposal Considerations.

## SECTION 7. Handling and storage

### 7.1. Precautions for safe handling

Wear protective clothing as shown in Section 8 of this Safety Data Sheet.

Read the special instructions before use. Avoid skin and eye contact. Do not breathe dust. Keep all sources of ignition away from the environment.

Powders may form if the product is cut, grinded, or crushed. Avoid dust formation. Provide appropriate and adequate ventilation.

Keep away from heat. Keep away from sources of ignition. Do not eat, drink or smoke when using this product. Keep out of reach of children.

General protection and hygiene measures:

Use only in well-ventilated areas.

Keep away from food items, beverages and animal feed.

Remove contaminated, contaminated clothing immediately.

Wash your hands before breaks and at the end of work. Avoid direct contact with eyes and skin.

Do not eat or drink any food while using this substance. Do not smoke

### 7.2. Conditions for safe storage, including any incompatibilities

Store in a tightly closed, original package and in a well-ventilated, cool and dry place.

Store in accordance with local regulations.

Suitable Storage Condition: Under cover in dry place when not sealed in plastic.

Packaging Material : Delivered packed in carton box or polyethylene.

Keep material in original packaging before use for protection against mechanical damage and against becoming wet.

### 7.3. Specific end use(s)

Use information for this product is described in Section 1.2.

## SECTION 8. Exposure controls/personal protection

### 8.1. Control parameters

Information not available

### 8.2. Exposure controls

Appropriate engineering controls:

Use adequate general or local exhaust ventilation to keep airborne concentrations below the permissible exposure limits. Provide adequate amounts of safety showers and eye showers and ensure that they are labelled appropriately. For cutting, use a knife rather than a saw. Comply with the safety measures usually applied when handling chemical substances.



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 4/8

## I007 - IZOCAM STONE WOOL

### Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

#### Hand Protection

Protect hands with work gloves (see standard EN 374).

The following should be considered when choosing work glove material: compatibility, degradation, failure time and permeability.

The work gloves' resistance to chemical agents should be checked before use, as it can be unpredictable. The gloves' wear time depends on the duration and type of use.

#### Skin Protection

Wear professional long-sleeved overalls and safety footwear (see Directive 89/686/EEC and standard EN ISO 20344). Wash body with soap and water after removing protective clothing.

#### Eye Protection

Wear airtight protective goggles (see standard EN 166).

#### Respiratory Protection

Use a type P filtering facemask, whose class (1, 2 or 3) and effective need, must be defined according to the outcome of risk assessment (see standard EN 149).

#### Environmental Exposure Controls

The emissions generated by manufacturing processes, including those generated by ventilation equipment, should be checked to ensure compliance with environmental standards.

## SECTION 9. Physical and chemical properties

### 9.1. Information on basic physical and chemical properties

Appearance	Solid. Mineral wool of homogeneous texture in the form of panels, boards, rolls and mats.	
Colour	Green-brown	
Odour	Not relevant.	
Odour threshold	Not available	
pH	Not applicable	
Melting point / freezing point	Above 1000 °C	
Initial boiling point	Not applicable	
Boiling range	Not available	
Flash point	Not applicable	
Evaporation rate	Not available	
Flammability (solid, gas)	Not available	
Lower inflammability limit	Not available	
Upper inflammability limit	Not available	
Lower explosive limit	Not available	
Upper explosive limit	Not available	
Vapour pressure	Not available	
Vapour density	Not available	
Density	30 to 200 kg/m <sup>3</sup>	(Depends on product)
Solubility	Not applicable	
Partition coefficient: n-octanol/water	Not applicable	
Auto-ignition temperature	Not available	
Decomposition temperature	Not available	
Viscosity	Not applicable	
Explosive properties	Not available	
Oxidising properties	Not available	

### 9.2. Other information

Fassonaire	150-220 mmws (depends on product type)
Orientation of Fibers	Random



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 5/8

## I007 - IZOCAM STONE WOOL

# Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

### SECTION 10. Stability and reactivity

#### 10.1. Reactivity

There are no particular risks of reaction with other substances in normal conditions of use.

#### 10.2. Chemical stability

The product is stable in normal conditions of use and storage.

#### 10.3. Possibility of hazardous reactions

No hazardous reactions are foreseeable in normal conditions of use and storage.

#### 10.4. Conditions to avoid

Avoid high temperatures and heat and source of ignition. Usual precautions used for chemical products should be respected.

#### 10.5. Incompatible materials

Oxidizing agents, strong acids and bases.

#### 10.6. Hazardous decomposition products

Hazardous gases/vapors produced in fire or at high temperatures: Carbon Dioxide (CO<sub>2</sub>) and Carbon Monoxide (CO). Binder evaporates above approximately 200 °C. Accordingly, formation of smells during first heating.

### SECTION 11. Toxicological information

#### 11.1. Information on toxicological effects

##### Metabolism, toxicokinetics, mechanism of action and other information

Information not available

##### Information on likely routes of exposure

Information not available

##### Delayed and immediate effects as well as chronic effects from short and long-term exposure

Information not available

##### Interactive effects

Information not available

##### ACUTE TOXICITY

LC50 (Inhalation) of the mixture: Not classified (no significant component)

LD50 (Oral) of the mixture: Not classified (no significant component)

LD50 (Dermal) of the mixture: Not classified (no significant component)

##### SKIN CORROSION / IRRITATION

Does not meet the classification criteria for this hazard class

##### SERIOUS EYE DAMAGE / IRRITATION

Does not meet the classification criteria for this hazard class

##### RESPIRATORY OR SKIN SENSITISATION

Does not meet the classification criteria for this hazard class.

Short-lived itching or red spots which usually disappear after a few days. Exceptionally allergy.

##### GERM CELL MUTAGENICITY

Does not meet the classification criteria for this hazard class

##### CARCINOGENICITY

Does not meet the classification criteria for this hazard class. (CLP Regulation 1272/2008 Note Q)

##### REPRODUCTIVE TOXICITY

Does not meet the classification criteria for this hazard class

##### STOT - SINGLE EXPOSURE

Does not meet the classification criteria for this hazard class



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 6/8

## I007 - IZOCAM STONE WOOL

### Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

#### STOT - REPEATED EXPOSURE

Does not meet the classification criteria for this hazard class

#### ASPIRATION HAZARD

Does not meet the classification criteria for this hazard class

Additional information: May cause itching of upper aero-digestive canal.

## SECTION 12. Ecological information

### 12.1. Toxicity

Product is not classified as environmentally hazardous. Nevertheless, it should be avoided to discharge to the environment.

### 12.2. Persistence and degradability

Information not available

### 12.3. Bioaccumulative potential

Information not available

### 12.4. Mobility in soil

Information not available

### 12.5. Results of PBT and vPvB assessment

On the basis of available data, the product does not contain any PBT or vPvB in percentage greater than 0,1%.

### 12.6. Other adverse effects

Information not available

## SECTION 13. Disposal considerations

### 13.1. Waste treatment methods

Reuse, when possible. Neat product residues should be considered special non-hazardous waste.

Disposal must be performed through an authorised waste management firm, in compliance with national and local regulations.

#### CONTAMINATED PACKAGING

Contaminated packaging must be recovered or disposed of in compliance with national waste management regulations.

Waste Class: 10 11 03 – Waste glass-based fibrous materials

## SECTION 14. Transport information

The product is not dangerous under current provisions of the Code of International Carriage of Dangerous Goods by Road (ADR) and by Rail (RID), of the International Maritime Dangerous Goods Code (IMDG), and of the International Air Transport Association (IATA) regulations.

### 14.1. UN number

Not applicable

### 14.2. UN proper shipping name

Not applicable

### 14.3. Transport hazard class(es)

Not applicable

### 14.4. Packing group

Not applicable

### 14.5. Environmental hazards

Not applicable

### 14.6. Special precautions for user

Not applicable

### 14.7. Transport in bulk according to Annex II of Marpol and the IBC Code

Information not relevant



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 7/8

## I007 - IZOCAM STONE WOOL

### Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

#### SECTION 15. Regulatory information

##### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Seveso Category - Directive 2012/18/EC: None

Restrictions relating to the product or contained substances pursuant to Annex XVII to EC Regulation 1907/2006  
None

Substances in Candidate List (Art. 59 REACH)

On the basis of available data, the product does not contain any SVHC in percentage greater than 0,1%.

Substances subject to authorisation (Annex XIV REACH)

None

Substances subject to exportation reporting pursuant to (EC) Reg. 649/2012:

None

Substances subject to the Rotterdam Convention:

None

Substances subject to the Stockholm Convention:

None

Healthcare controls

Information not available

##### 15.2. Chemical safety assessment

No chemical safety assessment has been processed for the mixture and the substances it contains.

#### SECTION 16. Other information

LEGEND:

- ADR: European Agreement concerning the carriage of Dangerous goods by Road
- CAS NUMBER: Chemical Abstract Service Number
- CE50: Effective concentration (required to induce a 50% effect)
- CE NUMBER: Identifier in ESIS (European archive of existing substances)
- CLP: EC Regulation 1272/2008
- DNEL: Derived No Effect Level
- EmS: Emergency Schedule
- GHS: Globally Harmonized System of classification and labeling of chemicals
- IATA DGR: International Air Transport Association Dangerous Goods Regulation
- IC50: Immobilization Concentration 50%
- IMDG: International Maritime Code for dangerous goods
- IMO: International Maritime Organization
- INDEX NUMBER: Identifier in Annex VI of CLP
- LC50: Lethal Concentration 50%
- LD50: Lethal dose 50%
- OEL: Occupational Exposure Level
- PBT: Persistent bioaccumulative and toxic as REACH Regulation
- PEC: Predicted environmental Concentration
- PEL: Predicted exposure level
- PNEC: Predicted no effect concentration
- REACH: EC Regulation 1907/2006
- RID: Regulation concerning the international transport of dangerous goods by train
- TLV: Threshold Limit Value
- TLV CEILING: Concentration that should not be exceeded during any time of occupational exposure.
- TWA STEL: Short-term exposure limit
- TWA: Time-weighted average exposure limit
- VOC: Volatile organic Compounds
- vPvB: Very Persistent and very Bioaccumulative as for REACH Regulation
- WGK: Water hazard classes (German).

GENERAL BIBLIOGRAPHY

1. Regulation (EC) 1907/2006 (REACH) of the European Parliament
2. Regulation (EC) 1272/2008 (CLP) of the European Parliament
3. Regulation (EU) 790/2009 (I Atp. CLP) of the European Parliament
4. Regulation (EU) 2015/830 of the European Parliament
5. Regulation (EU) 286/2011 (II Atp. CLP) of the European Parliament
6. Regulation (EU) 618/2012 (III Atp. CLP) of the European Parliament



Revision nr. 1  
Dated 19/03/2019  
First compilation 19/03/2019  
Printed on 19/03/2019  
Page n. 8/8

## I007 - IZOCAM STONE WOOL

### Safety Data Sheet

According to Annex II to REACH - Regulation 2015/830

- 7. Regulation (EU) 487/2013 (IV Atp. CLP) of the European Parliament
- 8. Regulation (EU) 944/2013 (V Atp. CLP) of the European Parliament
- 9. Regulation (EU) 605/2014 (VI Atp. CLP) of the European Parliament
- 10. Regulation (EU) 2015/1221 (VII Atp. CLP) of the European Parliament
- 11. Regulation (EU) 2016/918 (VIII Atp. CLP) of the European Parliament
- 12. Regulation (EU) 2016/1179 (IX Atp. CLP)
- 13. Regulation (EU) 2017/776 (X Atp. CLP)
- The Merck Index. - 10th Edition
- Handling Chemical Safety
- INRS - Fiche Toxicologique (toxicological sheet)
- Patty - Industrial Hygiene and Toxicology
- N.I. Sax - Dangerous properties of Industrial Materials-7, 1989 Edition
- IFA GESTIS website
- ECHA website
- Database of SDS models for chemicals - Ministry of Health and ISS (Istituto Superiore di Sanità) – Italy

Author of this safety data sheet:

Gökhan Ardiç / CHEMLEG  
sds@chemleg.com  
+90 216 706 1307

Note for users:

The information contained in the present sheet are based on our own knowledge on the date of the last version. Users must verify the suitability and thoroughness of provided information according to each specific use of the product.

This document must not be regarded as a guarantee on any specific product property.

The use of this product is not subject to our direct control; therefore, users must, under their own responsibility, comply with the current health and safety laws and regulations. The producer is relieved from any liability arising from improper uses.

Provide appointed staff with adequate training on how to use chemical products.